Cleaning a restaurant sink with a commercial hand pad.

Hand Pads

Hand Pads are for cleaning and conditioning surfaces by hand. Unlike steel wool, hand pads are non-metallic, and do not produce "after-rust" on work surfaces. Hand pads can be used in wet applications.

Commercial Grade:

from stainless steel

and oxidation

Removing rust, corrosion

Cleaning and removing stains

Applications

Industrial Grade:

- Producing satin finishes on aluminum and stainless steel
- 🖌 Light deburring
- Surface preparation
- Blending light scratches

Hand Pads -

Size Grade Description **Item Number** Grain Industrial Grade 6" x 9" **Silicon Carbide** Ultra Fine 51434 Finishing (Grey) 6" x 9" Aluminum Oxide Medium **Economy General** 51460 Purpose⁽(Maroon) 6" x 9" Aluminum Oxide Med/Coarse General Purpose (Maroon) 51444 6" x 9" **Aluminum Oxide** 51454 **Heavy-Duty** Heavy-Duty (Tan) **Commercial Grade** 6" x 9" Aluminum Oxide Fine Economy (Green) 51456 6" x 9" 51457 Aluminum Oxide Medium Standard-Duty (Green) 6" x 9" Heavy-Duty (Green) **Aluminum Oxide** Heavy-Duty 51458 20% thicker than Standard-Duty

Hand Pad Holder -

Description	Item Number
For 3" x 6" Pad	59616

Interleaf Flap Wheels

Interleaf Flap Wheels provide a combination of non-woven and coated abrasive material to produce a very conformable product compared to a standard coated abrasive flap wheel. They are designed to be a finishing and surface blending tool as compared to a material-removing coated abrasive flap wheel. They are ideal for producing satin or decorative finishes on irregular or contoured surfaces.

Applications

- General decorative finishing
- Applying satin finishes
- Producing antique finishes
- Final sandings

- Soft metal finishing
- Removing oxides from precious metals
- Fine burr removal on threaded metal



stent-meetrica micrical riap trifeers - Aleminiem exide						
Diameter	Face Width	Grit Size	Stem Size	Max. RPM	ltem Number	
2"	ן"	120 180 320	1/4"	13,700	54500 54501 54502	
3"	1"	120 180 320	1/4"	8,600	54506 54507 54508	
3"	2"	120 180 320	1/4"	8,600	54509 54510 54511	

Stem-Mounted Interleaf Flap Wheels - Aluminum Oxide







51457



54500



